

© Copyright
This drawing and any design herein is the copyright of the Consultants and must not be reproduced without their written consent.

All drawings remain the property of the Consultants.

LEGEND:

- Proposed Wastewater Sewer and Manhole --- ● ---
- Proposed Stormwater Sewer and Manhole --- ● ---

NOTES:


All level to Ordinance Datum (Malin Head).

The wastewater drainage system is to be constructed in accordance with Irish Water's Code of Practice for Wastewater Infrastructure (IW-CDS-5030-03) and Irish Water's Water Infrastructure Standard Details (IW-CDS-5030-01).

Construction of the wastewater drainage system shall ensure the required separation distances as specified in Section 3.5 of IW-CDS-5030-03.

Wastewater sewers to be uPVC in accordance with Section 3.13 of IW-CDS-5030-03 (to Stiffness Class 8kN/m² and be capable of resisting a maximum jetting pressure of 2,600psi without damage).

Manholes shall be as per STD-WW-10 and Section 3.12 of IW-CDS-5030-03.



SEE DRAWING NO. 21207-JBB-PH1-XX-DR-C-04007 FOR DRAINAGE OUTFALL ROUTE TO EXISTING INFRASTRUCTURE

Rev.	Suit.	Description	Drawn	Chkd	Date
P05	S3	Issued for Planning	DOB	TF	21.02.22
P04	S3	Response to IW Comments	DOB	TF	18.02.22
P03	S3	Response to IW Comments	DOB	TF	07.02.22
P02	S3	Issued to IW for Design Approval	DOB	TF	26.01.22
P01	S3	Issued for Tripartite Meeting	DOB	TF	06.08.21

Client

Estuary View Enterprises 2020 Ltd.

Client's Representative:

BARRY & PARTNERS
consulting engineers

3 Eastgate Road, Eastgate tel +353 21 475 7800
Business Park, Little Island, web www.jbbarry.ie
Co. Cork, Ireland email cork@jbbarry.ie

Project

BESBOROUGH SHD DEVELOPMENT

Drawing Title

PROPOSED DRAINAGE LAYOUT

Drawn by: DOB Date: 02.07.21

Checked by: RS Date: 28.07.21

Approved by: TF Date: 28.07.21

Internal Project REF: JBB: 21207

Scales: 1:500 @ A1, 1:1000 @ A3

Stage: PLANNING

Drawing No.	Revision	Suitability Code
21207-JBB-PH1-XX-DR-C-04001	P05	S3